



STANDARD GASES CYLINDER CHART

Cylinder	Nominal Dimensions* Diameter x Length (cm)	Material of Construction	Tare Weight* (kg)	Water Capacity	Internal Volume (litres)
1A	23 x 130	Steel	52.0	43.8	43.8
1B	31 x 84	Steel	80.0	-	60.9
1F	38 x 114	Steel	40.0	108.4	108.4
1H	26 x 130	Steel	84.6	43.9	43.9
1I	21 x 122	Aluminium	22.0	29.5	29.5
1J	26 x 125	Steel	27.0	56.0	56.0
1K	38 x 132	Steel	72.0	126.1	126.1
1L	26 x 140	Steel	63.0	49.0	49.0
1P	23 x 130	Steel	52.0	43.8	43.8
1R	21 x 122	Aluminium	22.0	29.5	29.5
1T**	61 x 211	Steel	552.0	439.0	439.0
1U	26 x 130	Steel	121.0	37.4	37.4
1V	26 x 122	Steel	48.0	54.4	54.4
2	23 x 66	Steel	20.0	17.1	17.1
2B	15 x 51	Steel	6.0	7.6	7.6
2I	18 x 84	Aluminium	14.0	15.7	15.7
2P	23 x 66	Steel	20.0	17.1	17.1
2R	18 x 84	Aluminium	14.0	15.7	15.7
3	15 x 51	Steel	9.0	7.3	7.3
3I	18 x 41	Aluminium	7.0	5.9	5.9
3P	15 x 48	Steel	9.0	7.3	7.3
3R	18 x 41	Aluminium	7.0	5.9	5.9
4	10 x 33	Steel	3.0	2.3	2.25
4P	10 x 33	Steel	3.0	2.3	2.25
6	10 x 20	Steel	2.0	0.9	0.94
6I	8 x 23	Aluminium	1.0	0.9	0.84
6P	10 x 20	Steel	2.0	0.8	0.94
6R	8 x 23	Aluminium	1.0	0.8	0.84
7	5 x 30	Steel	1.0	0.4	0.43
LB	5 x 30	Steel	1.6	0.5	0.44

** All 1T's except H₂S

* Less valve and cylinder cap