

Version: 4

Revision date: 2025-04-25

Shielding Gases Ar+CO₂+O₂ Compressed

PG-SDS-18

This SDS conforms to the Globally Harmonised System (GHS), South African Regulations on Hazardous Chemical Agents, and SANS 10234, SANS 11014 & SANS 10228.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION Product name Shielding Gases Chemical Name Ar, CO2, O2 Other means of identification Gas mixture, Welding Gas **Recommended Intended Purpose** The product is used in various applications and may include – Industrial used. Always use as intended. **Company Information** Puregas (Pty) Ltd PO Box 123884, Alrode, 1451, Gauteng, South Africa Tel: (011) 903 9760 Fax: (011) 903 9766 **Cellphone:** 082 889 6946 (1st) 082 885 7475 (2nd) Email: info@puregas.co.za Website: www.puregas.co.za **Emergency Telephone** 0800 172 743 Rapid Spill Response - 24 hours, 7 days a week

SECTION 2. HAZARDS IDENTIFICATION						
Classification of the mixture - GHS classification as published through ECHA						
Hazard Classification		Category	Hazard Statement			
Gases under pressure (Comp.)		2.2	H280	Contains gas under pressure; may explode if heated		
Hazard Pictogram	IS.	<	GI	-1S04		
Signal Word W		Warning	irning			
Precautionary Sta	atements					
General:	P101	If	medical advice is needed, have product container or label at hand			
P102 P103		Keep out of reach of children		reach of children		
		Read carefully and follow all instructions				
Prevention P202 Do not handle		not han	dle until all safety precautions have been read and understood.			
	P280	P280 W		ear protective gloves/eye protection/face protection		
Response		No	None			
Storage	P403	P403 Sto		ore in a well-ventilated place.		
Disposal		None				
Main Hazard	Contains	Contains gas under pressure; may explode if heated.				
Other Hazards	Asphyxia	Asphyxiant in high concentrations.				

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS					
Mixture					
CAS No	EC No	Name	%		
7782-44-7	231-956-9	Oxygen	<5		



Version: 4

Revision date: 2025-04-25

Shielding Gases Ar+CO₂+O₂ Compressed

PG-SDS-18

124-38-9	204-696-9	Carbon Dioxide	<10
7440-37-1	231-147-0	Argon, Compressed	>90
UN Number:	1956		

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4. FIRST AID MEASURES

In the case of inhalation Remove the victim to fresh air and keep at rest in a position comfortable for

breathing. Simple asphyxiant. Maintain oxygen levels at or above 19.5%.

In case of skin contact Not an expected route of exposure. Contact with rapidly expanding gas near

the point of release may cause frostbite Flush contaminated skin with plenty

of water. Remove contaminated clothing and shoes.

In case of eye contact Not an expected route of exposure. Contact with rapidly expanding gas near

the point of release may cause frostbite. Flush eyes with plenty of water for

10 to 15 minutes

In case of ingestion Not an expected route of exposure

Treatment (Advice to doctor) High concentrations may cause asphyxia from lack of oxygen or act as a

narcotic causing central nervous system depression. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, and cessation of breathing. Oxygen deficiency may occur in the presence of

high concentrations resulting in asphyxiation.

SECTION 5. FIRE-FIGHTING MEASURES

Fire / Explosion hazard: The material will not burn. Pressurized containers may rupture or explode if

exposed to heat.

Suitable extinguishing media In case of fire in the surroundings: use an appropriate extinguishing agent.

Use spray water to keep containers cool.

Unsuitable extinguishing media None Known

fire-fighters

Wear full protective firefighting gear including self-contained breathing

apparatus (SCBA) as the product is an asphyxiant.

Special hazards arising from the

Special protective equipment for

substance

-In case of fire: Stop the leak if safe to do so. Continue water spray from the protected position until the container stays cool. Use extinguishers to contain the fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear personal protective clothing and equipment, see Section 8.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear an appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment.

Environmental precautions Keep unnecessary people away, isolate hazard areas, and deny entry.

Ensure emergency procedures to deal with accidental gas releases are in



Version: 4

Revision date: 2025-04-25

Shielding Gases Ar+CO₂+O₂ Compressed

PG-SDS-18

place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

Methods and material for containment and cleaning up

Immediately contact emergency personnel. Stop leak if without risk. Provide adequate ventilation.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid breathing gas. Use only with adequate ventilation

Put on appropriate personal protective equipment (see Section 8).

Contains gas under pressure. Do not puncture or incinerate the container. Use equipment rated for cylinder pressure. Close the valve after each use and

when empty.

Protect cylinders from physical damage; do not drag, roll, slide, or drop.

Empty containers retain product residue and can be hazardous.

Hygiene Eating, drinking, and smoking should be prohibited in areas where this

material is handled, stored, and processed.

Workers should wash their hands and face before eating, drinking, and

smoking.

Requirements for storage rooms

and vessels

Store and handle in accordance with all current regulations and standards.

Protect from sunlight.

Store in a well-ventilated area.

Keep separated from incompatible substances.

Outside or detached storage is preferred.

Protect from physical damage.

Cylinders should be stored upright with a valve protection cap in place and

firmly secured to prevent falling.

Keep at temperatures below 52°C / 125°F.

Full and empty cylinders should be segregated. Use a "first in first out" inventory system to prevent full cylinders from being stored for excessive

periods of time.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

No exposure limits are available	
Respiratory protection	Occupational As the mixture is a simple asphyxiant, avoid exposure hazards in any areas where spillage has taken place. Only enter once testing has proved the atmosphere to be safe and remember that the gas is heavier than air. Self-contained breathing apparatus should always be worn when entering an area where oxygen depletion may have occurred.
Hand protection	Glove
Eye protection	Safety goggles
Skin and body protection	Safety shoes or boots should be worn when handling containers.
Engineering Controls	Engineering control measures are preferred to reduce exposure to oxygen- depleted atmospheres. General methods include forced-draft ventilation, separate from other exhaust ventilation systems. Ensure that sufficient fresh air enters at or near floor level.



Version: 4

Revision date: 2025-04-25

Shielding Gases Ar+CO₂+O₂ Compressed

PG-SDS-18

SECTION 9.	PHYSICAL	AND	CHEMICAL	PROPERTIES

Physical state Colourless liquified gas

Colour Colourless Odour Odourless Taste **Tasteless** рΗ Not available Melting point Not available **Boiling point** Not Available Auto-ignition temperature Not applicable Vapour pressure Permanent gas Vapour density (air=1) 1.672 @ 20°C Relative density 1.36 @ 20 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity None

Chemical Stability Stable under normal conditions

Conditions to avoid The dilution of oxygen concentration in the atmosphere to levels that cannot

support life. Never expose the cylinders to excessive heat, as this may cause

sufficient build-up of pressure to rupture the cylinders.

Incompatible materials None known

Hazardous decomposition W

products.

Will not decompose

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:Not classifiedGerm cell mutagenicity:Not classifiedCarcinogenicity:Not classifiedReproductive toxicity:Not classified

SECTION 12. ECOLOGICAL INFORMATION

No ecological damage was caused by this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Disposal of the gas should only be handled by the gas supplier.

Packaging: The disposal of cylinders must only be handled by the gas supplier.

SECTION 14. TRANSPORT INFORMATION

UN Pictogram



Land and inland navigation transport ADR/RID

UN No. 1956, Shipping Name P10, Class 2.2, Subsidiary Risk Non-flammable, non-toxic gases.

Marine transport IMDG

MDG 1956, Shipping Name P10, Class 2.2, Subsidiary Risk Non-flammable, non-toxic gases.



Version: 4

Revision date: 2025-04-25

Shielding Gases Ar+CO₂+O₂ Compressed

PG-SDS-18

Air transport ICAO/IATA-DGR

ICAO/IATA Code 1956, Class 2.2

Special precautions for user

The protective measures listed in Sections 6, 7, and 8 of the Safety Data Sheet have to be considered.

SECTION 15. REGULATORY INFORMATION

Safety, health, and environmental regulations/legislation specific for the substance or mixture:

Occupational Health and Safety Act, Hazardous Chemical Agents Regulations

SANS 11014:2010 Edition 1

SANS 10228:2012 Edition 6

SANS 10234:2019 Edition 2

SUPPLEMENT TO SANS 10234 Edition 1

National Road Traffic Act

Dangerous Goods Regulations

SECTION 16. OTHER INFORMATION

SELECTED BIBLIOGRAPHY

- 1. Data sheets as supplied by various Suppliers and Manufacturers
- 2. Emergency Response Handbook Annex A of SABS 0232-3
- 3. GHS Purple booklet
- 4. ECHA
- 5. Occupational Health and Safety Act, Hazardous Chemical Agents Regulations
- 6. SANS 11014:2010 Edition 1
- 7. SANS 10228:2012 Edition 6
- 8. SANS 10234:2019 Edition 2
- 9. SUPPLEMENT TO SANS 10234 Edition 1
- 10. National Road Traffic Act
- 11. Dangerous Goods Regulations

Disclaimer:

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.